

product catalog






fortismetal
SteelCentre

0090 346 222 33 33
info@fortismetal.com.tr
www.fortismetal.com.tr




Turkey




Galvanizli Destek Profili (Destek Sacı)
Galvanized Reinforcement Profiles



Çatı Kaplamaları
Roofing Sheet




Tavan U & C Profilleri
Ceiling U & C Profiles








Dilinmiş Sac (Boyalı ve Galvanizli)
Slitted Steel
(Painted and Galvanized)



Alçı Köşe Profilleri
Corner Beads and
Plasterboard Profiles



Plaka ve Rulo Sac (Boyalı ve Galvanizli)
Steel Sheet and Steel Coil
(Painted and Galvanized)




PVC DESTEK PROFİLİ (DESTEK SACI)

GALVANIZED REINFORCEMENT PROFILES



www.fortismetal.com.tr



- Modern makinelerimiz ile, PVC Kapı ve Pencere Sektörüne Yönelik Galvanizli Destek Profili (Destek Sacı) Üretimi Yapmaktayız.
- Üretim hattımızda istenilen ölçülerde ve 0,70 mm ile 2,00 mm arası kalınlıklarda destek sacı imalâtı yapabilmekteyiz.
- Üretimlerimizde hammadde olarak, birinci kalite galvanizli paslanmaz çelik kullanılmaktadır.
- Ürünlerimiz ulusal ve yabancı tanınmış markalar tarafından tercih edilmektedir.

- We produce galvanized reinforcement profiles for UPVC windows and doors by our production line.
- We can produce profiles from 0,70 mm to 2,00 mm in requested thickness and dimensions.
- We use first quality stainless galvanized raw materials for our production.
- Our products are used by well-known brands in the world markets.



FIRATPEN
PİMAPEN
ADOPEN PAKPEN ERPEN

KOMPEN
winhouse
Gedizpen



REHAU
winsä
PVC PENCERE KAPILARIN ENSTELERİ

EGE PEN
deceuninck

SCHÜCO
SCHÖNLINE

aluplast
FISCHEER
PVC KAPILARIN ENSTELERİ

"quality for you"




ALÇIPAN TAVAN PROFİLLERİ

CEILING PROFILES




www.fortismetal.com.tr



- Tavan Profilleri U ve C Formlarında 3 metre olarak üretilmektedir.
- Profillerin standart uzunluğu 3 metredir. Ancak istenilen ölçülerde üretebilmekteyiz.
- Üretimlerimizde hammadde olarak, birinci kalite galvanizli paslanmaz çelik kullanılmaktadır.
- Farklı kalınlıklarında üretilmektedir..

- *Ceiling profiles are produced in U and C forms.*
- *The standart length of the profiles are 3 meters. Yet, we can produce requested lengths.*
- *We use first quality galvanized steel as raw material for our products.*
- *We can produce ceiling profiles in different thicknesses.*




ALÇI KÖŞE PROFİLLERİ

CORNER BEADS AND PLASTER PROFILES



www.fortismetal.com.tr



- Alçıpan ve sıva uygulamalarında köşelerin düzgün olmasını sağlar.
- Profillerin standart uzunluğu 2,7 metredir. Ancak istenilen ölçülerde üretebilmekteyiz.
- Üretimlerimizde hammadde olarak, birinci kalite galvanizli paslanmaz çelik kullanılmaktadır.
- Farklı kalınlıklarında üretilmektedir.

- *Corner Beads ensures smooth corner in plaster and plasterboard applications.*
- *The standart lengths of the profiles are 2,7 meters. Yet, we can produce requested lengths.*
- *We use first quality stainless galvanized steel as raw material for our products.*
- *We can produce ceiling profiles in different thicknesses.*


ÇATI PANELLERİ

ROOFING PANELS



www.fortismetel.com.tr

27/200 TRAPEZ ÇATI / CEPHE KAPLAMASI

27/200 TRAPEZOIDAL SHEET



Trapez Ridge



27 mm hadve yüksekliğinde, boyalı ve galvanizli ya da alüminyum hammaddelerden üretim yapılabilen tek kat trapezdir. 1000 mm eninde rulodan çekildiğinde 800 mm net kaplama enine sahiptir ve 5 hadvelidir. Trapez ile uyumlu mahya üretimimiz de vardır.

Single - Layer trapezoidal sheets, having a height of 27 mm, can be produced with prepainted steel, galvanized or aluminium materials. When it is used a roll having a width of 1000 mm ,it has net width of 800 mm covering and it has 5 ribs . We also produce roof ridge compatible with trapez sheet.

Faydalı En : 800 mm (Tolerans : ± 3 mm)

Net Covering Width : 800 mm (Tolerance : ± 3 mm)

Levha Uzunluğu : Min. 1000 mm - Max. 12000 mm

Sheet Length : Min. 1000 mm - Max. 12000 mm

Kullanım Yeri : Çati ve Cephe

Application : Roofs and Claddings

Metal Özelliği : Galvanizli Sac, Boyalı Sac, Alüminyum

Metal Specs : Galvanized Steel, Prepainted Galvanized Steel, Aluminium

Metal Kalınlığı : Min. 0,30 mm - Max. 1,25 mm

Metal Thickness : Min. 0,30 mm - Max. 1,25 mm

OLUKLU ÇATI KAPLAMALARI

CORRUGATED STEEL SHEETS

Binaların çatı ve cephelerinde kullanılabilir. Boyalı ve galvanizli hammaddeden üretilmektedir. 1000 mm eninde rulodan çekildiğinde 838 mm net kaplama enine sahiptir.

Corrugated sheets can be used on the roofs and claddings of building. They are produced by prepainted steel and galvanized materials. When it is used a roll having a width of 1000 mm ,It has net 838 mm of covering width.

Faydalı En : 838 mm (Tolerans : ± 3 mm)

Net Covering Width : 838 mm (Tolerance : ± 3 mm)

Levha Uzunluğu : Min. 1000 mm - Max. 3000 mm

Sheet Length : Min. 1000 mm - Max. 3000 mm

Kullanım Yeri : Çati ve Cephe

Application : Roofs and Claddings

Metal Özelliği : Galvanizli Sac, Boyalı Sac

Metal Specs : Galvanized Steel, Prepainted Galvanized Steel

Metal Kalınlığı : Min. 0,30 mm - Max. 1,25 mm

Metal Thickness : Min. 0,30 mm - Max. 1,25 mm



RULO SAC / DİLİNMIŞ SAC / PLAKA SAC

COIL STEEL / SLITTED STEEL STRIP / STEEL SHEET (Galvanized and Painted)

www.fortismetel.com.tr



DİLME HATTI

SLITTING LINE



www.fortismetel.com.tr

Dilme hattımız sayesinde, talep edilen ölçülerde profil üretme imkânına sahibiz. Ayrıca farklı sektörler için de dilinmiş galvanizli ve boyalı sac satışıımız vardır.

We produce galvanized splitted steel profiles by using our splitting line as requested dimensions. We sell galvanized and painted slitted sheet for different sectors.

MALZEME / MATERIAL : Soğuk Sac, Boyalı, Boyasız Galvanizli Sac / Cold, Painted Galvanize Coil
KALINLIK / THICKNESS (Min. - Max.) : 0,30 mm - 2,00 mm
DİLME GENİŞLİĞİ / WIDTH (Min. - Max.) : 200mm - 1250 mm
KESME TOLERANSI / WIDTH TOLERANCE : $\pm 0,3$ mm



BOY KESME HATTI

CUTTING LENGHT LINE



www.fortismetel.com.tr

Boy kesme hattımızda, rulo sacdan istenilen uzunluklarda galvanizli ve boyalı plâka sac üretilmektedir.

We can be producted galvanized and painting steel sheet in requested lengths from coil sheet by our lenght cutting line.

MALZEME / MATERIAL : Soğuk Sac, Boyalı, Boyasız Galvanizli Sac, Galvalum, Alüminyum / Cold Coil, Painted Galvanize Coil, PPGI, PPI, Galvalume, Aluminium.
KALINLIK / THICKNESS (Min. - Max.) : 0,30 mm - 2,00 mm
KESME GENİŞLİĞİ / WIDTH (Min. - Max.) : 200mm - 1200 mm
BOY TOLERANSI / LENGHT TOLERANCE : $\pm 0,3$ mm





fortismetal
export & import




www.fortismetal.com.tr



"We export steel products
and construction materials to many world."



steel centre
0346 222 33 33
fortismetal.com.tr



fortismetal
SteelCentre

Fortis Metal İmalat İthalat İhracat San. Tic. Ltd. Şti.
Ahmet Turan Gazi OSB, 11. Sk No:14/3 Sivas / TURKEY

Tel : 0090 346 222 33 33 E-mail : info@fortismetal.com.tr
Web : www.fortismetal.com.tr